

Cerwin-Vega

mobile



VMAX

VMAX subwoofers are Cerwin-Vega Mobile's most flexible. They work exceptionally well in both sealed and vented enclosures. VMAX subwoofers use large roll rubber surrounds and low resonance, cast aluminum frames. All VMAX models are available in 10", 12" and 15" sizes with either dual 2 ohm or dual 4 ohm high power 2.5" voice coils. Every VMAX subwoofer handles 500 watts of RMS power.

VMAX	10	12	15
RMS POWER	500	500	500
SEALED VOLUME	0.7cu.ft - 19.8L	1.0cu.ft - 28.3L	2.0cu.ft - 56.6L
VENTED VOLUME	1.0cu.ft - 28.3L	1.75cu.ft - 49.6L	2.0cu.ft - 56.6L

Available in Dual 2 & 4 ohm



VEGA

Nothing invokes the heritage of the Cerwin-Vega Mobile brand more than the red rubber surround of the Vega series subwoofer. Long regarded as the best value available in their category, the Vega series continues to perform. Large motors with bumped back plates and 2" dual voice coils with woven tinsel leads are usually reserved for much more expensive subwoofers but the VEGA series has them. The Vega is extremely efficient and like all Cerwin-Vega Mobile subwoofers work well in a variety of enclosures.



VEGA	10	12	15
RMS POWER	200	200	200
SEALED VOLUME	0.7cu.ft - 19.8L	1.0cu.ft - 28.3L	2.0cu.ft - 56.6L
VENTED VOLUME	1.0cu.ft - 28.3L	1.75cu.ft - 49.6L	3.0cu.ft - 84.9L

Available in Dual 2 & 4 ohm



Subwoofers

Stealth

The problem with shallow subwoofers typically is that while they fit in tight spaces, they really don't produce much bass. The new Stealth series from Cerwin-Vega Mobile changes that notion. Our new Stealth series have as much output as a traditional subwoofer but are only 3" deep. They handle 400 watts RMS and work in all types of enclosures. If you want big woofer performance but can't afford to sacrifice the space, visit an authorized Cerwin-Vega Mobile dealer and listen for yourself.

NEW!

STEALTH	12
RMS POWER	400
SEALED VOLUME	.75cu. ft - 21.2L
VENTED VOLUME	1.25cu. ft. - 35.5L

Available in Dual 2 & 4 ohm



Stroker

For more than 20 years the name Stroker has been the standard by which all other high performance subwoofers are judged. The Stroker returns in 2010 in its most powerful form ever. This Stroker uses massive 3" dual voice coils to handle a staggering 1200 watts RMS. The new terminal handles up to 8 awg wire and allows for all connections to be conveniently made on one side of the subwoofer. The removable cone assembly sets a new benchmark in easy to use field serviceability.



STROKER	12
RMS POWER	1200
SEALED VOLUME	1.5cu. ft - 42.45L
VENTED VOLUME	2.0cu. ft. - 56.6L

Available in Dual 2 & 4 ohm



Stroker

Stroker subwoofers have gained acclaim for their legendary combination of high output and ridiculous power handling. Now there is finally an amplifier worthy of the same name! The Stroker series amplifiers are up to the challenge. Stroker amplifiers start with the 800 watt RMS 4-channel 5800.4 and continue through the 2000 watt RMS class GH mono beast 52000.1. All mono model Stroker amplifiers are strapable, which means you can bridge or strap two identical models together to create one incredibly powerful channel.

STROKER		800.4	1000.1	2000.1
RMS POWER	1 Ohm @ 14.4V	N/A	1000 X 1	2000 X 1
	2 Ohm @ 14.4V	200 X 4	750 X 1	1500 X 1
	4 Ohm @ 14.4V	125 X 4	400 X 1	1000 X 1
	4 Ohm BRIDGED	400 X 2	N/A	N/A
TOPOLOGY		CLASS AB	CLASS GH	CLASS GH
CROSSOVER	VARIABLE HIGH-PASS	50Hz - 250Hz	N/A	N/A
	VARIABLE LOW-PASS	50Hz - 250Hz	50Hz - 250Hz	50Hz - 250Hz



VEGA

VEGA amplifiers are just the right mix of power and value. VEGA amplifiers range from 250 to 500 watts RMS so low to moderate powered systems are no problem at all. VEGA amplifiers feature fully adjustable Hi and Low pass crossovers and VEGA Bass equalization. High-level inputs make integrating these amplifiers into any system a snap.



VEGA		250.2	400.4	500.1
RMS POWER	1 Ohm @ 14.4V	N/A	N/A	N/A
	2 Ohm @ 14.4V	125 X 2	100 X 4	500 X 1
	4 Ohm @ 14.4V	75 X 2	60 X 4	300 X 1
	4 Ohm BRIDGED	250 X 1	200 X 2	N/A
TOPOLOGY		CLASS AB	CLASS AB	CLASS AB
CROSSOVER	VARIABLE HIGH-PASS	50Hz - 250Hz	50Hz - 250Hz	50Hz - 250Hz
	VARIABLE LOW-PASS	50Hz - 250Hz	50Hz - 250Hz	50Hz - 250Hz



Amplifiers

Stealth

Just because you have limited space doesn't mean you have to sacrifice great sound. The new Stealth series amplifiers from Cerwin-Vega Mobile were designed to go places that other amplifiers won't. We use a new full-range class D chip set that is very efficient and extremely reliable. These amplifiers don't suffer from any of the noise or sonic issues that are normally present in full-range class D designs. They just sound awesome. Visit one of our authorized dealers today and listen for yourself.

NEW!



STEALTH		220.2	440.4	500.1
RMS POWER	1 Ohm @ 14.4V	N/A	N/A	500 X 1
	2 Ohm @ 14.4V	110 X 2	110 X 4	350 X 1
	4 Ohm @ 14.4V	65 X 2	65 X 4	200 X 1
	4 Ohm BRIDGED	220 X 1	220 X 2	N/A
TOPOLOGY	Class D		Class D	Class D
CROSSOVER	VARIABLE HIGH-PASS	50Hz-250Hz	50Hz-250Hz	N/A
	VARIABLE LOW-PASS	50Hz-250Hz	50Hz - 250Hz	50Hz-250Hz